



Web www.bradleycollection.com

Email info@bradleycollection.com

Follow us on



World

The Bradley Collection Ltd • Lion Barn • Maitland Road • Needham Market • Suffolk • IP6 8NS • UK

Telephone +44 (0)1449 722 724 Fax +44 (0)1449 722 728

USA & Canada

The Bradley Collection Inc. • 3625 Hayden Avenue, #E • Culver City • CA • 90232 • USA


Telephone +1 (310) 815 8255 Fax +1 (310) 815 9255

Specialised fixings for mounting brackets will be required in certain situations and are not provided as standard.

Steel items are not recommended for damp conditions such as shower rooms. • Crystal finials should not be positioned in direct sunlight.

The Bradley Collection reserves the right to modify design and materials without prior notice as part of a process of continual product improvement.

Products are protected by Design Rights, under provisions of Copyright, Designs & Patents Act 1988.

Bradley®, The Bradley Collection® and  Logo are registered Community trademarks of The Bradley Collection Ltd. in Europe and registered trademarks of the Bradley Collection, Inc. in the USA.

the**bradley**collection

EDITION FIVE

STEEL



Picture: Ram's Horn

STEEL

Steel is a highly adaptable, elegantly designed collection which reflects the beauty and individuality of the metal it is made from.

Each finial is hand crafted, pairing traditional techniques with a classic sense of form and style.



Pictured - Ø25mm (1") Pole - Polished
Browns Hotel, London - Hellenic suite



A MODERN CLASSIC

The Steel Collection has a reassuring and timeless solidity, embodying purity, elegance and longevity.

Created to last a lifetime, the Steel Collection perfectly reflects the values of contemporary living.

Pictured - \varnothing 25mm (1") Pole - Pebble - Polished
Shown with: Ada & Ina - Vilgot Fabric



Pictured - Ø25mm (1") Pole • Loop • Passing bay pole • Brass Toned

IN DETAIL

A timeless classic, the Steel Collection blends innovative design with quality craftsmanship, creating a visually stunning collection.

Pole diameters - Ø19mm (¾") • 25mm (1") • 38mm (1½") • 50mm (2")

Unlimited system length ◇

Easy install, drop in brackets with optional magnetic cover plate

Classic rings

Passing system

Bespoke bay service



Custom bending



Ceiling brackets



Covered backplate option



Reverse finials



Double poles



Drapery arm
see page 24



French pole
see page 95

◇ Supplied in sections - Maximum section per length 4.0m (157") - Lengths over 2.4m (94") will incur a handling charge

FINISHES

The Steel Collection finishes have been created to enhance the intrinsic character of the steel material.




Polished



Brass Toned



Waxed



Bronzed



Oil Rubbed



Polished Copper Tint



Pictured left to right - ø25mm (1") Pole • Standard stud • Bronzed • Medium Stud • Waxed • Pebble • Oil Rubbed
Buffon Stud • Polished Copper Tint • Ribbed Ball & Collar • Polished • Loop • Brass Toned

Due to printing limitations colours in this brochure may not be accurate
Samples are available on request - www.bradleycollection.com/samples/

FINIALS

Simplicity is the watchword for this grouping of stud and disc designs.



Pictured left to right - $\varnothing 25\text{mm}$ (1") • Medium stud • Standard Stud • Large Stud • Hammered Stud • Polished



Standard Stud

- $\varnothing 19\text{mm}$ ($\frac{3}{4}"$) Inclusive Length 6mm ($\frac{1}{4}"$)
- $\varnothing 25\text{mm}$ (1") Inclusive Length 8mm ($\frac{5}{16}"$)
- $\varnothing 38\text{mm}$ ($1\frac{1}{2}"$) Inclusive Length 10mm ($\frac{3}{8}"$)
- $\varnothing 50\text{mm}$ (2") Inclusive Length 12mm ($\frac{1}{2}"$)



Medium Stud

- $\varnothing 19\text{mm}$ ($\frac{3}{4}"$) Inclusive Length 6mm ($\frac{1}{4}"$)
- $\varnothing 25\text{mm}$ (1") Inclusive Length 8mm ($\frac{5}{16}"$)
- $\varnothing 38\text{mm}$ ($1\frac{1}{2}"$) Inclusive Length 10mm ($\frac{3}{8}"$)
- $\varnothing 50\text{mm}$ (2") Inclusive Length 12mm ($\frac{1}{2}"$)



Large Stud

- $\varnothing 19\text{mm}$ ($\frac{3}{4}"$) Inclusive Length 6mm ($\frac{1}{4}"$)
- $\varnothing 25\text{mm}$ (1") Inclusive Length 8mm ($\frac{5}{16}"$)
- $\varnothing 38\text{mm}$ ($1\frac{1}{2}"$) Inclusive Length 10mm ($\frac{3}{8}"$)
- $\varnothing 50\text{mm}$ (2") Inclusive Length 12mm ($\frac{1}{2}"$)



Hammered Stud

- $\varnothing 19\text{mm}$ ($\frac{3}{4}"$) Inclusive Length 10mm ($\frac{3}{8}"$)
- $\varnothing 25\text{mm}$ (1") Inclusive Length 12mm ($\frac{1}{2}"$)
- $\varnothing 38\text{mm}$ ($1\frac{1}{2}"$) Inclusive Length 16mm ($\frac{5}{8}"$)
- $\varnothing 50\text{mm}$ (2") Inclusive Length 20mm ($1\frac{3}{16}"$)



Flared Stud

- $\varnothing 19\text{mm}$ ($\frac{3}{4}"$) Inclusive Length 12mm ($\frac{1}{2}"$)
- $\varnothing 25\text{mm}$ (1") Inclusive Length 14mm ($\frac{9}{16}"$)
- $\varnothing 38\text{mm}$ ($1\frac{1}{2}"$) Inclusive Length 26mm (1")



Flared Disc

- $\varnothing 19\text{mm}$ ($\frac{3}{4}"$) Inclusive Length 17mm ($1\frac{1}{16}"$)
- $\varnothing 25\text{mm}$ (1") Inclusive Length 21mm ($\frac{7}{8}"$)
- $\varnothing 38\text{mm}$ ($1\frac{1}{2}"$) Inclusive Length 34mm ($1\frac{5}{16}"$)



Button Stud

- $\varnothing 19\text{mm}$ ($\frac{3}{4}"$) Inclusive Length 26mm (1")
- $\varnothing 25\text{mm}$ (1") Inclusive Length 40mm ($1\frac{9}{16}"$)
- $\varnothing 38\text{mm}$ ($1\frac{1}{2}"$) Inclusive Length 59mm ($2\frac{5}{16}"$)
- $\varnothing 50\text{mm}$ (2") Inclusive Length 69mm ($2\frac{11}{16}"$)



Pebble

- $\varnothing 19\text{mm}$ ($\frac{3}{4}"$) Inclusive Length 27mm ($1\frac{1}{16}"$)
- $\varnothing 25\text{mm}$ (1") Inclusive Length 31mm ($1\frac{1}{4}"$)
- $\varnothing 38\text{mm}$ ($1\frac{1}{2}"$) Inclusive Length 48mm ($1\frac{7}{8}"$)

FINIALS

Pure, simple shapes and subtle hand-forged elements define this design group.



Pictured left to right - ø25mm (1") • Ball & Collar • Hammered Ball & Collar • Ball & Claw • Brass Toned



Forged Disc

ø19mm (3/4") Inclusive Length 2mm (1/16")
 ø25mm (1") Inclusive Length 3mm (3/16")
 ø38mm (1 1/2") Inclusive Length 3mm (3/16")
 ø50mm (2") Inclusive Length 4mm (3/16")



Hammered Disc

ø19mm (3/4") Inclusive Length 2mm (1/16")
 ø25mm (1") Inclusive Length 3mm (3/16")
 ø38mm (1 1/2") Inclusive Length 3mm (3/16")
 ø50mm (2") Inclusive Length 4mm (3/16")



Ball & Collar

ø19mm (3/4") Inclusive Length 55mm (2 3/16")
 ø25mm (1") Inclusive Length 65mm (2 7/16")
 ø38mm (1 1/2") Inclusive Length 75mm (2 9/16")
 ø50mm (2") Inclusive Length 103mm (4 1/16")



Crystal Ball & Collar[⊛]

ø19mm (3/4") Inclusive Length 65mm (2 7/16")
 ø25mm (1") Inclusive Length 75mm (2 9/16")
 ø38mm (1 1/2") Inclusive Length 103mm (4 1/16")



Hammered Ball & Collar

ø19mm (3/4") Inclusive Length 55mm (2 3/16")
 ø25mm (1") Inclusive Length 65mm (2 7/16")



Ball & Claw

ø19mm (3/4") Inclusive Length 75mm (3")
 ø25mm (1") Inclusive Length 90mm (3 7/16")
 ø38mm (1 1/2") Inclusive Length 120mm (4 3/4")



Ribbed Ball & Collar

ø19mm (3/4") Inclusive Length 53mm (2 1/16")
 ø25mm (1") Inclusive Length 60mm (2 3/8")



Twisted Knot

ø19mm (3/4") Inclusive Length 90mm (3 7/16")
 ø25mm (1") Inclusive Length 95mm (3 7/16")
 ø38mm (1 1/2") Inclusive Length 150mm (5 7/8")

Please note that due to manufacturing process's size and shape may vary slightly to images above ⊛ Crystal finials should not be positioned in direct sunlight
 For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/specification-guides/

FINIALS

The true craft of the artisan is on display with these designs.



Pictured left to right - ø25mm (1") • Tusk • Hammered Spear • Curling Leaf • Jacobs Horn • Waxed



Hammered Spear

ø19mm (3/4") Inclusive Length 122mm (4 7/8")
ø25mm (1") Inclusive Length 150mm (5 7/8")




Double Ball Basket

ø19mm (3/4") Inclusive Length 142mm (5 5/8")
ø25mm (1") Inclusive Length 146mm (5 3/4")
ø38mm (1 1/2") Inclusive Length 205mm (8 1/8")



Loop

ø19mm (3/4") Inclusive Length 115mm (4 1/2")
ø25mm (1") Inclusive Length 135mm (5 3/8")
ø38mm (1 1/2") Inclusive Length 180mm (7 1/8")



Curling Leaf [◐]

ø19mm (3/4") Inclusive Length 110mm (4 3/8")
ø25mm (1") Inclusive Length 140mm (5 1/2")
ø38mm (1 1/2") Inclusive Length 200mm (8")



Tusk [◐]

ø19mm (3/4") Inclusive Length 118mm (4 5/8")
ø25mm (1") Inclusive Length 141mm (5 5/8")



Jacob's Horn [◐]

ø19mm (3/4") Inclusive Length 105mm (4 1/8")
ø25mm (1") Inclusive Length 130mm (5 1/8")
ø38mm (1 1/2") Inclusive Length 180mm (7 1/8")



Square Ram's Horn

ø19mm (3/4") Inclusive Length 120mm (4 3/4")
ø25mm (1") Inclusive Length 135mm (5 3/8")



Reverse Square Ram's Horn [◐]








ø19mm (3/4") Inclusive Length 55mm (2 1/8")
ø25mm (1") Inclusive Length 55mm (2 1/8")

◐ handed finial



Please note that due to manufacturing process's size and shape may vary slightly to images above
For full technical information, sizes and weights please download the specification guide - www.bradleycollection.com/specification-guides/

BRACKETS







Single Brackets

Side	Covered Side	Diameter	Projection from wall to pole centre	Side Fixing plate size	Covered Side fixing plate size
		ø19mm (3/4") ø25mm (1") ø38mm (1 1/2") ø50mm (2")	60mm (2 3/8"), 100mm (4"), 140mm (5 1/2") 60mm (2 3/8"), 100mm (4"), 140mm (5 1/2") 100mm (4") 100mm (4")	w20mm (1 3/16") x H84mm (3 5/16") w25mm (1") x H102mm (4") w30mm (1 3/16") x H117mm (4 5/8") w30mm (1 3/16") x H117mm (4 5/8")	w24mm (1 5/16") x H88mm (3 7/16") w29mm (1 1/8") x H106mm (4 3/16") w34mm (1 5/16") x H121mm (4 3/4") w34mm (1 5/16") x H121mm (4 3/4")
Mid	Covered Mid	Diameter	Projection from wall to pole centre	Mid Fixing plate size	Covered Mid fixing plate size
		ø19mm (3/4") ø25mm (1") ø38mm (1 1/2") ø50mm (2")	60mm (2 3/8"), 100mm (4"), 140mm (5 1/2") 60mm (2 3/8"), 100mm (4"), 140mm (5 1/2") 100mm (4") 100mm (4")	w55mm (2 3/16") x H20mm (1 3/16") w60mm (2 3/8") x H25mm (1") w80mm (3 1/8") x H30mm (1 3/16") w80mm (3 1/8") x H30mm (1 3/16")	w59mm (2 5/16") x H24mm (1 5/16") w64mm (2 1/2") x H29mm (1 1/8") w84mm (3 3/16") x H34mm (1 5/16") w84mm (3 3/16") x H34mm (1 5/16")
Passing	Covered Passing	Diameter	Projection from wall to pole centre	Passing Fixing plate size	Covered Passing fixing plate size
		ø19mm (3/4") ø25mm (1") ø38mm (1 1/2") ø50mm (2")	60mm (2 3/8"), 100mm (4"), 140mm (5 1/2") 60mm (2 3/8"), 100mm (4"), 140mm (5 1/2") 100mm (4") 100mm (4")	w55mm (2 3/16") x H20mm (1 3/16") w60mm (2 3/8") x H25mm (1") w80mm (3 1/8") x H30mm (1 3/16") w80mm (3 1/8") x H30mm (1 3/16")	w59mm (2 5/16") x H24mm (1 5/16") w64mm (2 1/2") x H29mm (1 1/8") w84mm (3 3/16") x H34mm (1 5/16") w84mm (3 3/16") x H34mm (1 5/16")
Recess with ring stop		Diameter	Depth off wall	Fixing plate size	
		ø19mm (3/4") ø25mm (1") ø38mm (1 1/2") ø50mm (2")	4mm (3/16") 4mm (3/16") 4mm (3/16") 4mm (3/16")	ø42mm (1 3/16") ø50mm (2") ø72mm (2 3/16") ø72mm (2 3/16")	

Ceiling Brackets

Ceiling	Diameter	Drop from ceiling to pole centre	Fixing plate size
	ø19mm (3/4") ø25mm (1") ø38mm (1 1/2")	60mm (2 3/8"), 100mm (4") 60mm (2 3/8"), 100mm (4") 100mm (4")	w55mm (2 3/16") x H20mm (1 3/16") w60mm (2 3/8") x H25mm (1") w80mm (3 1/8") x H30mm (1 3/16")
Passing	Diameter	Drop from ceiling to pole centre	Fixing plate size
	ø19mm (3/4") ø25mm (1") ø38mm (1 1/2")	60mm (2 3/8"), 100mm (4") 60mm (2 3/8"), 100mm (4") 100mm (4")	w55mm (2 3/16") x H20mm (1 3/16") w60mm (2 3/8") x H25mm (1") w80mm (3 1/8") x H30mm (1 3/16")

Double Brackets

Side	Diameter	Projection from wall to pole centre	Fixing plate size	
	Fø25mm (1") Bø19mm (3/4") Fø38mm (1 1/2") Bø25mm (1")	F160mm (6 5/16") B60mm (2 3/8") F160mm (6 5/16") B60mm (2 3/8")	w25mm (1") x H102mm (4") w30mm (1 3/16") x H117mm (4 5/8")	
Mid	Diameter	Projection from wall to pole centre	Fixing plate size	
	Fø25mm (1") Bø19mm (3/4") Fø38mm (1 1/2") Bø25mm (1")	F160mm (6 5/16") B60mm (2 3/8") F160mm (6 5/16") B60mm (2 3/8")	w60mm (2 3/8") x H25mm (1") w80mm (3 1/8") x H30mm (1 3/16")	
Passing	Diameter	Projection from wall to pole centre	Fixing plate size	
	Fø25mm (1") Bø19mm (3/4") Fø38mm (1 1/2") Bø25mm (1")	F160mm (6 5/16") B60mm (2 3/8") F160mm (6 5/16") B60mm (2 3/8")	w112mm (4 7/16") x H50mm (2") w122mm (4 13/16") x H60mm (2 3/8")	
Adjustable Brackets	Diameter	Projection from wall to pole centre	Fixing plate size	
	ø19mm (3/4") ø25mm (1") ø38mm (1 1/2")	Min.65mm (2 5/16") Max.150mm (5 7/8") Min.75mm (2 15/16") Max.175mm (6 7/8") Min.95mm (3 3/4") Max.200mm (7 7/8")	w20mm (1 3/16") x H84mm (3 5/16") w25mm (1") x H102mm (4") w30mm (1 3/16") x H117mm (4 5/8")	
Mid	Passing	Diameter	Projection from wall to pole centre	Fixing plate size
		ø19mm (3/4") ø25mm (1") ø38mm (1 1/2")	Min.65mm (2 5/16") Max.150mm (5 7/8") Min.75mm (2 15/16") Max.175mm (6 7/8") Min.95mm (3 3/4") Max.200mm (7 7/8")	w55mm (2 3/16") x H20mm (1 3/16") w60mm (2 3/8") x H25mm (1") w80mm (3 1/8") x H30mm (1 3/16")

Drapery Arm drapery arms have been designed to work at dormer windows, doorways & above beds

Diameter	Fixing plate size
ø25mm (1")	w30mm (1 3/16") x H185mm (7 1/4")

RINGS, POLES & ACCESSORIES

Classic Rings

Ring	Diameter	Ring drop from top of pole to bottom of ringlet
	ø19mm (3/4")	44mm (1 3/4")
	ø25mm (1")	49mm (1 5/8")
	ø38mm (1 1/2")	63mm (2 1/2")
	ø50mm (2")	82mm (3 1/4")


Passing Ring	Diameter	Ring drop from top of pole to bottom of ringlet
	ø19mm (3/4")	49mm (1 5/8")
	ø25mm (1")	54mm (2 1/8")
	ø38mm (1 1/2")	71mm (2 3/8")
	ø50mm (2")	89mm (3 1/2")



Poles

Poles are cut, bent and curved to suit individual requirements. When calculating the length of your pole, remember to allow tolerance beyond the width of the frame for the curtains to draw back to the edge of the window.


Maximum pole length in one piece 4.0m (157")*. Poles exceeding the recommended maximum distance between brackets, will be cut into equal parts unless otherwise specified. Pole joiners will be supplied.



Diameter	Recommended maximum distance between brackets	Recommended curtain type for pole diameter	Minimum bend radius
ø19mm (3/4")	1800mm (71")	Light to medium weight, lined & non interlined curtains	R75mm (3")
ø25mm (1")	2000mm (79")	Medium weight, lined & interlined curtains	R100mm (4")
ø38mm (1 1/2")	2200mm (87")	Medium to heavy weight, lined & interlined curtains	R150mm (6")
ø50mm (2")	2400mm (96")	Heavy weight interlined curtains	R200mm (8")

Ombres

Large Stud



Internal projection from wall: 125mm (4 15/16")
Fixing plate size: ø60mm (2 3/8")


Ball & Collar



Internal projection from wall: 125mm (4 15/16")
Fixing plate size: ø60mm (2 3/8")


Hold back

Standard Stud



Internal measurement: 134mm (5 1/4")
Fixing plate size: w20mm (1 3/16") x H56mm (2 3/16")

Ball & Collar




Tie Back Hook



Internal measurement: 27mm (1 1/16")
Fixing plate size: w20mm (1 3/16") x H78mm (3 1/16")

Draw Rods

Standard Stud



Ball & Collar



Draw rod length:
1000mm (39 3/8")
Custom lengths available to order